

Monad Electronics

Email:- mail@monadindia.com,monadindia@yahoo.com Phone:- +91-141-2771119, Fax:-+91-141-2550005 G1-805, Sitapura Industrial Area, Website:- www.monadindia.com Tonk Road, Jaipur-302022

Introduction



Winner of National Award for year 2009-2010 in R&D

products related to Data logging & Acquisition. products, Testing equipments, sensors and related indicating and controlling devices and allied been involved in the business of Exporting, designing & manufacturing, Electronics Industrial Monad Electronics is An ISO 9001:2015 certified company, which has over the last 15 years

and related components, service providing in installation & commissioning We are also interested in taking - up the project development, recommending and mfg. sensing We are specialized in providing consultancy for itemized engineering Test ring and Projects.

government institutes. substitute high end equipment development and supplying to leading industries and Belgium, Turkey, Australia, UAE and African countries. We have good track record of import We are in this field from last 13 years and also Exporting our products to USA, Germany,



Digital Hanging Scale



Monad MNC-HT5 is a rugged portable Hanging capacities from 1 T to 100 T. Scale for measuring tension, traction and weight in Easy to read 6 Digit LED display with inbuilt Li-Ion

Battery for backup of > 12 hours

System. Accuracy, safe, portable and ruggedly dependable Unique design providing maximum readability.

operation It comes with Wireless Remote Keypad for easy



Enclosure: Designed to IP65/67, Suitable for continuous outdoor use.

Accuracy: 0.1%

Repeatability: 0.1%

Ultimate overload: 200%.

Safe overload: 150% of capacity

Shackles: Forged industry standard anchor shackles(Optional) **Body protection**: Alloy steel, electroless-nickel plated

Display: Large 1" 7 Segment High Brightness LED

Calibration: Software Calibration **Display update rate:** 2 times per second

Operating temperature: -10 to 50° C **Battery life:** 8-12 hours typical use with > 80 % Charge condition

